This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

-		COUNTRESS STEEL INC.	E88 STEEL		PRODUCT:	1110		RIPO IED DV.	2		- 14C	•
	§	COMMINS IN THE PARTY SPIEED	ATA SPIEET	1/	TURKEY	Brown		ARMOUR	: :		DATE	
	E ₹	RELT	3000	TEM	TEMPERATURES 'C	3.0		Incridal.			1/30/93	
<u> </u>		draeu Annie	TIME	ZONE 1	ZONE 2	ZONE 3	WEIGHT	WEIGHT	YIELD	MIERNAL	REMARKS	
が ブ		1.147.1 1.29 pm	"SON TO THE	170	061	200	2/14/2		1011	1 . Jan //	MAYCOSE CON	13
7 7 7 7 7 7 7 1	f	9716	00	_1	190		01.0		(6/	160 F	Between 2 & 3 Zavi	-14
	8	17967	J.W.	ST	770	200	70.7.6	10.00	(108.8	1/301/2 MARCOSE &	\top
#	7	24.9112	7	22.	727		×8.70)	1. 4. K	108	1601	1	
ヹ ヹ			MW/	250	0,70) %					(360x 0) Ly	i
				c	2	 					KICEUCA",	
								•				T
												 -
					-	-						
				<u> </u>								-, -
				+								
					 -							
 -							•					
												
	<u> </u>											
•		DEPOSITION	Z Z O		DE	DEPOSITION	Ę					
		EXHIBI	<u> </u>		.	EXHIBIT						
	,	19/1 4			1	19-61-6				-		
		4:12.0	多		THE WASH	6						-
	. • •					-					Exhibit Ne. 11	~ .

A Service Serv

U-03343

-		_		. •				-								
	10/14/93		HEMMEN.	36º in/1 min. ♠ 50%	369. ut-		270 in/	1 min. @ 12%3	30 sec. @ 12/29	320 in	1 min. 6.53					
		BUTERBAL	TEMP. T		360 -		·				280			•		
•		j			97.4%		95.4%	20	80./u	98.7%	97 5%			:		
dir.co.	SWIFT		WEIGHT		4.76		4.12	, C 0	676.	5.165	5.01					
	(NO NIY-	START	WEIGHT		4.885		4,32	V 03	• 1	5.21	5.14					
ALL DI	_		ZONE 3		280		280	000		280	280					
PRODUCT: ALL DIPPED	TURKEY BREAST	LPERATURES 'C	ZONE2	with steam	330	with steam	330	with steam	with	330	with steam 330					
		TO	ZONE1		330	١	330	330		330	330					
SS STEEL		X 000			7.5	1	7.5	7.5		ç.,	7.5					
UNITHERM STANLESS STEEL INC.		in 8	N. LEE		8.67	c c	8.67	29.8	o C	0.67	29.8					
HEHLIND		<u> </u>	!	٠,		·	7	Э	4	F	2					



(Hilbery Specially, Super 10/poly) J-23-95 (1) 2/4 gal Hzx + 3/4 hjuid Gudhe (2) Heat to bailing point (3) (A) pre-cooled whole Turky (Dep 6000) (13) Pre-wohed Whate Turkey (Dip 30xc) (1) BB Hoinlers Deli hreat (Dip 45 sec) (4) Heart processy * Judent aut if hat ligned souds look + Can ruit tell moderal look 145 30 like but sono deferend between browning color 60 sec 45.80 whole lind look 160 130 see treatment ろめ * glades Bread las + There is no Color and pall shin sephatin (60 It the breat Whole lind bole 30 galden brown of flender breast look rosel colle CONFIDENTIAL -1162 CRPF00477

Restricted Access

PTO-002171


A) higned Smoke: 92-46 Tuelsly). PH: 6.7 Igal h.S. + 2 gal H20 (B) Treatment: 3 Birds were used (Came from Cathy). D h. S. salutins warm up to 170% 2) (a) one hard godsed / mi (b) one luck (1) one land 11 1/2 hz (C) Heat Pur Cosing **CONFIDENTIAL** -**Restricted Access** Before next cyde cic golden known alver 90ki 145 60m 118 F Jook 30hi tireach 175 Zlir364 1620T

CRPF00643

C) 1/2mi L.s. Sodig 14.08 At 5.17 11.90 845270 All dil 11.56 13.30 ft 5.41 11.48 86.32 % 12.78 10.50 82-16% + Product after stower look like last the yellowing not fell with water stower. the cavit of A product after menight chille a look hast clased to control () is too dark look hill Amener, the Wellowed hadefund and He want is the dark

CRPF00644

h. S. Hest 1 Sounded Tailrey An: 40 p31 **Restricted Access** was interesting to make That dryin surface juck up ties is The layple to the regret Charal Supremo liquel mulie * After Everniflet hilly, 111 thy



PTO-002175

Control	CONFIDENTIAL	q. 24 _
bofore	after	Sacros
5.24	7.76	- 2
136 9.26	8.65	Conditions 3/17/93
7,76	7.72	3/17/93
25.26	24.13	95.527.
		87.87%
7.74	6.76	16119150
7.04	6.80	43:30 (119:50
145 7.32	6.48	124
7.38	6.94	Plana
7.52	7.12	
37.00	34.10	92.16%
		90.72%
10.70	9.94	(73/5).
11-N	S.30_	
148 984	9.08	
29.48	27.32	92.67%
	Δ	90.94 %
	/\	
-/-FB	Maillose	
		··-
	·	
		
3/16/93	÷ ÷	CONFIDENTIAL - Restricted Access
 		CRPF04866

CONTROL

CONFIDENTIAL

CONT					
	10141	Ment	BAG	Purge	7. Pu
	10.74	9.74	0.10	0.90	8.59
	8.74	8.00	0.10	0.64	7.4%
- Jest 1					
	8.69	8.34	0.16	0.19	2.29
	 				
Int 3		6 ()			
	8.94	8.64	0.12	0.18	7.0%
	8:02				
				<u> </u>	 :
				•	
-					
					
·					
					
			:		
			-		
				CONFIDENTIAL Restricted Acces	
<u> </u>				-	,
				CRPF04867	_
<u>·</u>					

TIN = 41 in Cook + SHEKE BUTTERBYLL 4.E.CHT = 9.06 = 8.86 BOX+ NZ BEXYNETTEND BOIL-OFF · 24 \$/pin 1:20 64.8 1.27 64.3 1.08 # BOIL-OFF 1:32 1:38 63,7 72.56 1:44 57.3 So: 25.78 # Ng 1:48 53.2 1:53 49.5 = 2062.4 Bz 47.7 2:01 46,0 2:05. - → Bin = 130,40 Core Suif Chill eure 3/23/93

No Figure 1/23/93

Condition as 2H'
mailtose /hear =

CRPF04868

Restricted Access

		_ 10	(n:	(h)	CONF	IDENTIAL
	1	(W/0)			·	3)
<u> </u>	707		Meat	BAG	lurge	
0	7.1	(9.07)	8.24	0.14	0.83	9.2%
0	(0 0		9.26	0.10	0.66	4.7%
<u></u>		7 (8,47)	25.26	0.10	0.71	8.4%
0	3 1	3 (2.93)	7.74	0.10	0.19	2.4%
(2)	- 11	5 (7.13)	7.04	0.12	0.09	1,3%
(5)	11	24 (7.49)	7,32	0.14	0.08	1.1%
(4) (5) (4) (5)	7.6		7.38	0.14	0.13	1.7%
(5)	-7.7	1 11.507	7.52	0.12	0.10	1.3%
	TE	7-2(31.				•
<u></u>	10	2 (1000)	9.84	0.12	0.16	1.6%
	9.2		8.14	0,12	0.17	1,970
(3)		5 (10.43)	10.70	0.12	6.23	2.1%
		30.04	29.48		·	
·		·				
					·	
						
						· · · · · · · · · · · · · · · · · · ·
						CONFIDENTIAL -
						Restricted Access
						CRPF04869 —
						
	iii					

T2

7.50 + 8.06 + 8.56 + 8.20 = 32.32/34.57 = 93.5

71

8.30+7.96+7.64+8.14=3204/34.28=

 $T_1 = 100 + 40 = 140 \times 0.97 \times .935$ = 126.97

T2= 100+43 = 143x.97x0.935= 129.7-

T3 = 143×0.965×0.935 = 129.025

TG = CONFIDENTIAL - Restricted Access

CRPF04870